

Adroitin-M™ Chewable Tablets

Helps support healthy joint function and connective tissue in elderly dogs, large breeds and canines that are predisposed to mobility and joint dysfunctions. Easy-to-give liver-flavored chewable tablets contain no gluten, lactose or chemical preservatives. Does not increase water consumption or urine output and has no known negative side effects. Allow 4 to 6 weeks for best results.

Kit Includes:

- Glucosamine HCl..... 500 mg
- Chondroitin Sulfate 400 mg
- Methylsulfonylmethane (MSM) 50 mg
- Ascorbic Acid (Vitamin C) 50 mg
- Zinc (Oxide) 15 mg
- Manganese (Gluconate)..... 5 mg
- Copper (Gluconate) 2 mg

| MWI# | DESCRIPTION | SIZE |
|--------|-----------------------------|---------------|
| 601003 | Adroitin-M Chewable Tablets | Bottle of 120 |



Available exclusively through your veterinarian from:



(800) 824-3703
www.mwivet.com



(888) 722-2242
www.aahamarketlink.com

ADROITIN-M™ CHEWABLES

VetOne

Veterinary Supplement

Active Ingredients per Chewable:

| | |
|-----------------------------|--------|
| Glucosamine Hydrochloride | 500 mg |
| Chondroitin Sulfate | 400 mg |
| Methylsulfonylmethane (MSM) | 50 mg |
| Ascorbic Acid (Vitamin C) | 50 mg |
| Zinc (Oxide) | 15 mg |
| Manganese (Gluconate) | 5 mg |
| Copper (Gluconate) | 2 mg |

Product Facts

Inactive Ingredients: Brewers Dried Yeast, Cellulose, Liver Meal, Magnesium Silicate, Magnesium Stearate, Natural Flavor, Silicon Dioxide, Stearic Acid.

Precautions: Safe use in pregnant animals or animals intended for breeding has not been proven.

Consult with your veterinarian before using this product in animals with clotting disorders, being treated with anticoagulant medications, diabetes, or any metabolic disorder causing hyperglycemia, history of urinary tract stones, known allergies to shellfish.

If lameness worsens or persists, discontinue use and contact your veterinarian.

For use in canine species.

Adroitin-M™ provides a blend of glucosamine, chondroitin, methylsulfonylmethane (MSM) to support healthy joint function.

Directions for Use: One-half (1/2) chewable per 40 lbs. of body weight twice daily. Allow four to six weeks for best results.

Warnings: For animal use only.

Keep out of reach of children and other animals. In case of accidental overdose, contact a health professional immediately.

Administer during or after the animal has eaten to reduce potential incidence of gastrointestinal upset.

Distributed by: MWI, Meridian, Idaho 83680

(888) 694-8381

MADE IN USA

National Animal Supplement Council

THE BENCHMARK OF QUALITY™

Questions? Call Vitality Systems, Oldsmar, FL

1 (800) 877-0177

120 Chewables — V1 601003

250 Chewables — V1 602003

NAC No.: 13150400